


**Beghelli**

# Quick Ship

**DELIVERING PRODUCTS ON TIME - GUARANTEED**


# 2020




To ensure your order “Quick Ships”, please add “Q” in the item prefix. ie: Q-VA4R-SA.

	<h2>Acciaio<sup>®</sup> ECO LED</h2> <p>LED / Wet / IP66 / IK09 / NSF / CSA / DLC / BAA / Title 24 / LOGICA</p>	Max Qty	Time (Hrs)
		<b>12</b>	<b>24</b>
Model	Description		
BX910LED-4HT-HO-WT40-120-277V	4ft AC only, 50W, 5341lm, 4000K, gray housing		

	<h2>BS101LED ECO</h2> <p>LED / Wet / IP65 / IK05 / NSF / CSA / DLC / BAA / Title 24 / LOGICA/RoHS</p>	Max Qty	Time (Hrs)
		<b>50</b>	<b>24</b>
Model	Description		
BS101LED-ECO-4HT-HO-WT40-120-277V	4ft AC only, 55W, 4000K, gray housing		

	<h2>BS100LED</h2> <p>LED / Wet / IP66 / IK09 / NSF / CSA / DLC / BAA / Title 24 / LOGICA/RoHS</p>	Max Qty	Time (Hrs)
		<b>50</b>	<b>24</b>
Model	Description		
BS100LED-4HT-LO-WT40-120-277V	4ft AC only, 50W, 5700lm, 4000k, gray housing		

	<h2>BS100</h2> <p>Flourescent / Wet / IP66 / IK09 / NSF / CSA / BAA/RoHS</p>	Max Qty	Time (Hrs)
		<b>50</b>	<b>24</b>
Model	Description		
HT			
BS100T8-4HT-232W-120-277V	4ft AC only, 2x32W T8		
BS100T5HO-4HT-254W-120-277V	4ft AC only, 2x54W T5HO		
SA		<b>10</b>	<b>48</b>
Model	Description		
BS100T8-4SA-232W-120-277V	4ft AC & EM, 2x32W T8		
BS100T5HO-4SA-254W-120-277V	4ft AC & EM, 2x54W T5HO		



# PLANEX<sup>®</sup> ECO

LED / Indoor / Damp / IP44 / DLC / Type IC / Title 24

Max Qty Time (Hrs)


250

48

## Model

## Description

Model	Description
<b>1x4</b>	
PLX-E-14-HT-P-MO-WT35-80-120-277V	AC Only, 1x4, 30W, DLC Premium, 3500K, 80 CRI, 120-277V
PLX-E-14-HT-P-MO-WT40-80-120-277V	AC Only, 1x4, 30W, DLC Premium, 4000K, 80 CRI, 120-277V
<b>2x2</b>	
PLX-E-2-HT-P-MO-WT35-80-120-277V	AC Only, 2x2, 30W, DLC Premium, 3500K, 80 CRI, 120-277V
PLX-E-2-HT-P-MO-WT40-80-120-277V	AC Only, 2x2, 30W, DLC Premium, 4000K, 80 CRI, 120-277V
PLX-E-2-HT-P-HO-WT35-80-120-277V	AC Only, 2x2, 36W, DLC Premium, 3500K, 80 CRI, 120-277V
PLX-E-2-HT-P-HO-WT40-80-120-277V	AC Only, 2x2, 36W, DLC Premium, 4000K, 80 CRI, 120-277V
PLX-E-2-HT-P-HO-WT50-80-120-277V	AC Only, 2x2, 36W, DLC Premium, 5000K, 80 CRI, 120-277V
<b>2x4</b>	
PLX-E-4-HT-P-VHO-WT35-80-120-277V	AC Only, 2x4, 40W, DLC Premium, 3500K, 80 CRI, 120-277V
PLX-E-4-HT-P-VHO-WT40-80-120-277V	AC Only, 2x4, 40W, DLC Premium, 4000K, 80 CRI, 120-277V
PLX-E-4-HT-P-XHO-WT35-80-120-277V	AC Only, 2x4, 50W, DLC Premium, 3500K, 80 CRI, 120-277V
PLX-E-4-HT-P-XHO-WT40-80-120-277V	AC Only, 2x4, 50W, DLC Premium, 4000K, 80 CRI, 120-277V
PLX-E-4-HT-P-XHO-WT50-80-120-277V	AC Only, 2x4, 50W, DLC Premium, 5000K, 80 CRI, 120-277V



# STRIPLED

LED / Indoor / Damp / IP44 / DLC / Title 24 / LOGICA

Max Qty Time (Hrs)

12

24

## Model

## Description

Model	Description
SLLED-4HT-MO-WT40-120-277V	AC only, 4ft, 40W, 5388lm, 4000K, 0-10V, dimming



# VALORE

LED / Indoor / Damp / DLC / Title 24 / LOGICA

Max Qty Time (Hrs)

12

24

## Model

## Description

Model	Description
V2-LO-WT40-120-277V	AC only, 2ft, 110W, 15792lm, 4000K, 0-10V, dimming
V2-LO-WT50-120-277V	AC only, 2ft, 110W, 16406lm, 5000K, 0-10V, dimming
V2-HO-WT40-120-277V	AC only, 2ft, 165W, 22616lm, 4000K, 0-10V, dimming
V4-LO-WT35-120-277V	AC only, 4ft, 225W, 33315lm, 3500K, 0-10V, dimming
V4-LO-WT40-120-277V	AC only, 4ft, 225W, 30809lm, 4000K, 0-10V, dimming
V4-HO-WT40-120-277V	AC only, 4ft, 325W, 46361lm, 4000K, 0-10V, dimming



# BRUNO

Indoor / Damp / Title 20 / CSA / BAA / Emergency Unit  
(universal face, universal panel and universal mount)

Max Qty Time (Hrs)

10

24

Model	Description
BRU-HT-LG-UM	AC Only, green LED, white finish
BRU-HT-LR-UM	AC Only, red LED, white finish
BRU-SA-LG-UM	AC & EM, Ni-Cd battery, green LED, white finish
BRU-SA-LR-UM	AC & EM, Ni-Cd battery, red LED, white finish



# CURVA

Indoor / Damp / LED / Edge-Lit Exit

Max Qty Time (Hrs)

6

24

Model	Description
CRV-HT-LG1-CS-AL	AC only, single face, green LED, clear panel, aluminum finish
CRV-HT-LR1-CS-W	AC only, single face, red LED, clear panel, white finish
CRV-HT-LR2-MS-AL	AC only, double face, red LED, mirror panel, aluminum finish
CRV-SA-LG1-CS-AL-AT	AC & EM, Ni-Cd battery, single face, green LED, clear panel, aluminum finish, Autotest
CRV-SA-LG2-MS-AL-AT	AC & EM, Ni-Cd battery, double face, green LED, mirror panel, aluminum finish, Auto
CRV-SA-LR1-CS-AL-AT	AC & EM, Ni-Cd battery, single face, red LED, clear panel, aluminum finish, Autotest
CRV-SA-LR2-MS-AL-AT	AC & EM, Ni-Cd battery, double face, red LED, mirror panel, aluminum finish, Autotest
<b>ACCESSORIES</b>	<b>(50pcs/24hr)</b>
RK-BAL-HT	AC only, recessed kit, brushed aluminum
RK-BAL-SA	AC & EM, recessed kit, brushed aluminum
RK-W-HT	AC only, recessed kit, white
RK-W-SA	AC & EM, recessed kit, white



# CYCLONE-ECO

Indoor/ Damp  
(EM only, Ni-Cd Battery)

Max Qty Time (Hrs)

12

24

Model	Description
CYC-ECO-SA-LU-WCS	Single & double face panels, red and green LED, ceiling/wall/slope surface



# LC1-ECCO

Indoor / Damp / Title 20

Max Qty Time (Hrs)

6

24

Model	Description
LC1-E-HT-LGU	AC only, green LED, universal face
LC1-E-HT-LRU	AC only, red LED, universal face
LC1-E-SA-LGU	AC & EM, Ni-Cd battery, green LED, universal face
LC1-E-SA-LRU	AC & EM, Ni-Cd battery, red LED, universal face



# OL2

Indoor / LED / Title 20 / BAA / CSA

Max Qty Time (Hrs)

6

24

Model	Description
OL2-HT-LG1-CCR	AC only, green, clear panel, single face, recessed ceiling mount, white finish
OL2-HT-LG1-MCR	AC only, green, mirror panel, single face, recessed ceiling mount white finish
OL2-HT-LG2-MCR	AC only, green, mirror panel, double face, recessed ceiling mount, white finish
OL2-HT-LR1-CCR	AC only, red, clear panel, single face, recessed ceiling mount, white finish
OL2-HT-LR1-MCR	AC only, red, mirror panel, single face, recessed ceiling mount, white finish
OL2-HT-LR2-MCR	AC only, red, mirror panel, double face, recessed ceiling mount, white finish
OL2-SA-LG1-CCR	AC & EM, Ni-Cd battery, green, clear panel, single face, recessed ceiling mount, white finish
OL2-SA-LG1-MCR	AC & EM, Ni-Cd battery, green, mirror panel, single face, recessed ceiling mount, white finish
OL2-SA-LR1-CCR	AC & EM, Ni-Cd battery, red, clear panel, single face, recessed ceiling mount, white finish
OL2-SA-LR2-MCR	AC & EM, Ni-Cd battery, red, mirror panel, double face, recessed ceiling mount, white finish
<b>ACCESSORIES (50pcs/24hr)</b>	
OL2-BB	Recessed back box



# PACO AQUA

Indoor / Damp / Wet / Exit

Max Qty Time (Hrs)

6

24

Model	Description
PX-A-G-HT	AC only, green LED, universal face and mount
PX-A-R-HT	AC only, red LED, universal face and mount
PX-A-G-SA	AC & EM, Ni-Cd battery, green LED, universal face and mount
PX-A-R-SA	AC & EM, Ni-Cd battery, red LED, universal face and mount



# PACO AQUA COMBO

Indoor / Damp / Wet / Exit & Emergency Unit

Max Qty Time (Hrs)

6

24

## Model

## Description

PCH-A-G

AC & EM, green LED, universal face and mount, two 1.7W 3.6V LED heads

PCH-A-R

AC & EM, red LED, universal face and mount, two 1.7W 3.6V LED heads



# PACO COMBO

Indoor / Damp / Exit & Emergency Unit

Max Qty Time (Hrs)

6

24

## Model

## Description

PCH-G-SA

AC & EM, Ni-Cd battery, green LED, universal face, 2x1.5W LED

PCH-R-SA

AC & EM, Ni-Cd battery, red LED, universal face, 2x1.5W LED



# PEH

Indoor / Damp / Emergency Unit

Max Qty Time (Hrs)

24

24

## Model

## Description

PEH-1

EM only Ni-Cd battery, 120V-277V, 2x1.5W, LED



# PLURALUCE®

Indoor / Damp / CSA/ BAA / Emergency Unit

Max Qty Time (Hrs)

12

24

## Model

## Description

PL-SE-UNV

EM only, Ni-Mh, 4x2.5W LED



# TEMPESTA™ LED ECO

Wet / IP65 / IK07 / NSF / CSA / BAA / Emergency Unit

Max Qty Time (Hrs)

12

24

## Model

## Description

TA-LED-ECO-SE-UNV

EM only Ni-Mh battery, 11W, 925lm, LED

TA-LED-ECO-SA-UNV

AC & EM, Ni-Mh battery, 11W, 925lm, LED



# VA4

Indoor / Damp / Title 20

Max Qty    Time (Hrs)


48

24

### Model

### Description

VA4-G-HT	AC only, green LED, universal face
VA4-R-HT	AC only, red LED, universal face
VA4-G-SA	AC & EM, Ni-Cd battery, green LED, universal face
VA4-R-SA	AC & EM, Ni-Cd battery, red LED, universal face



# XLP LED1

Indoor / Damp / Emergency Unit / Title 20

Max Qty    Time (Hrs)

12

24


### Model


### Description

XLP-LED1	EM only Ni-Cd battery, 3.6V 2W, Ni-Cd, 8x0.125W
----------	---

## TERMS & CONDITIONS

Quick Ship Effective date: 06/03/19 valid until: 12/31/20 standard freight terms: \$1250 FFA product only. To ensure your order "Quick Ships", please add "Q" in the item prefix. ie: Q-VA4R-SA Standard terms and conditions apply.





# Quick Ship

**DELIVERING PRODUCTS ON TIME - GUARANTEED**

3250 Corporate Way, Miramar, Florida 33025, USA  
Customer Service: 800.726.4316

# 2020

Updated 2/12/20