

THE NEW SHAPE OF EMERGENCY LIGHTING

PACO

Generation 2

PROFESSIONAL EMERGENCY LUMINAIRE



The PACO PEH features:

- High Output LED Technology
- Low Power Consumption
- Performance: 2x1.5W LED
- Remote capability
- High impact, UV-stabilized, UL94 V-0 plastic
- Fully adjustable/glare free lamp heads
- Nickel cadmium battery
- Snap-together design for quick installation
- Compact size
- Damp location



Reliable Ni-ca



PACO PEH




Product Overview

The PACO PEH-1 emergency unit features performance and reliability in a small and attractive package. Two fully adjustable 1.5W LED lamp heads ensure emergency lighting performance, accurate positioning and reduced maintenance. The thermoplastic housing comes standard finished in white. An optional black housing finish is available. The quick connect installation system allows effortless surface mount installation. The PACO PEH-1 is ideal for use in hotels, offices, restaurants and commercial applications.



PACO PE Series	Feature	BENEFITS	
Lampheads	2 x 1.5W LED lamps	Long life, reduced maintenance, accurate positioning.	
Number of LED's per head	8	Ensures emergency lighting performance	
Voltage	120/277	Universal installation	
Battery	NiCad	Better battery technology and reliability	
Standard Battery Life	7 years (estimated)	Long life, compact size	
Recomended charge time for the battery	24 hours	Quick recharge time	
Mounting	Universal mounting plate & Canopy	Allows quick connect installation system for effortless surface mount installation.	
Listing	UL		
Housing Color	White (standard) / Black (optional)		
Size Housing (Length) Housing (Height) Housing (Depth)	9" 4.75' 3.25"	PACO features performance and reliability in a small and attractive package	
Warranty	3 Years		
Shipping Weight	2 Lbs	Reduced shipping costs	

DIMENSIONS



Model	Α	В	C
PEH-1	9"	3.25"	4.75"
	228.6mm	82.56mm	120.7mm

Beghelli

Beghelli USA

3250 Corporate Way, Miramar, FL 33025 P: (954) 442-6600 F: (954) 442-6677

THE NEW SHAPE OF EMERGENCY LIGHTING

PACO

Generation 2

PROFESSIONAL EMERGENCY LUMINAIRE



The PACO PCH features:

- Hi Output LED Technology
- Compact size, rounded corners
- Remote capability
- High impact, UV-stablized, UL94 V-0 plastic
- Fully adjustable/glare free lamp heads
- Nickel cadmium battery
- Snap-together design to speed installation
- Damp location



Reliable Ni-cad



PACO PCH




Product Overview

The PACO PCH series combination exit and emergency unit features performance and reliability in a small and attractive package. Two 1.5W LED fully adjustable lamp heads ensure emergency lighting performance, accurate positioning and reduced maintenance. Available with red or green LED's, the exit face features a reduced housing size and soft, rounded edges. The thermoplastic housing comes in white as standard; optional black is available. The quick connect installation system allows for effortless surface mount installation.



	Optional Black	
ı	DIMENSIONS	



Model	A	В	C	D	E	F
PCH	17.90"	11.60"	7.20"	8.20"	2.00"	4.33"
	456mm	295mm	183mm	208mm	50mm	110mm

PACO PE Series	Feature	BENEFITS		
Lamp heads	2 x 1.5W LED lamps	Long life, reduced maintenance, accurate positioning.		
Number of LED's per head	8	Ensures emergency lighting performance		
Voltage	120/277	Universal installation		
Battery	NiCad	Better battery technology and reliability		
Standard Battery Life	7 years (est)	Long life, compact size		
Recommended charge time for the battery	24 hours	Quick recharge time		
Mounting	Universal mounting plate & Canopy	Allows quick connect installation system for effortless surface mount installation.		
Listing	UL			
Housing Color	White (standard) / Black (optional)			
Size Housing (Length) Housing (Height) Housing (Depth)	17.9"/456mm 7.2"/183mm 2"/50mm	PACO features performance and reliability in a small and attractive package		
Warranty	3 Years			
Shipping Weight	2.5 Lbs	Reduced shipping costs		

Beghelli

Beghelli USA

3250 Corporate Way, Miramar, FL 33025 P: (954) 442-6600 F: (954) 442-6677