

QUICKSHIP

GUARANTEED TO SHIP
WITHIN 48 HOURS



BS100LED

Vapor Tight | BAA | Wet | IP66 | DLC

MODEL	ITEM	DESCRIPTION	MAX QTY
BS100LED 4HT LO WT40 120-277V	117101174	4 ft, AC only, 40W, 4000K, 6264 lm, 120-277V	48



BS101LED

Vapor Tight | BAA | Wet | IP66 | DLC

MODEL	ITEM	DESCRIPTION	MAX QTY
BS101LED 4HT LO WT40	117101186	4 ft, AC only, 40W, 4000K, 4090 lm, 120-277V	250
BS101LED ECO 4HT HO WT40	117102250	4 ft, AC only, 55W, 4000K, 4090 lm, 120-277V	250
BS101LED ECO E 4HT HO WT40	117103880	4 ft, AC only, 35W, 4000K, 4157 lm, 120-277V	250
B S101LED ECO E 4HT HO WT50	117103881	4 ft, AC only, 35W, 5000K, 4090 lm, 120-277V	250



BOXLED

Flood Light | IP66 | Symmetric/Assymmetric Distribution

MODEL	ITEM	DESCRIPTION	MAX QTY
BL726LEDHTHOSYMW40	117500014	AC only, 90W, 4000K, gray housing, 120-277V	30
BL726LEDHTHOSYMW50	117500162	AC only, 90W, 5000K, gray housing, 120-277V	30



ACCIAIO BX910LED

VAPOR TIGHT | BAA | IP66 | NEMA 4X | DLC PREMIUM

MODEL	ITEM	DESCRIPTION	MAX QTY
BX910LED2HTHOWT40 PC	117500073	AC only, 2 ft, 30W, 4000K, pc lens, gray housing	50
BX910LED2HTHOWT40PC WHT	117500102	AC only, 2 ft, 30W, 4000K, pc lens, white housing	50
BX910LED4HTLOWT40 GL	117500045	AC only, 4 ft, 30W, 4000K, glass lens, gray housing	25
BX910LEDECO4HTHOWT40 GL	117500001	AC only, 4 ft, 50W, 4000K, glass lens, gray housing	25
BX910LEDECO4HTHOHT40 PCW	117500092	AC only, 4 ft, 50W, 4000K, pc lens, white housing	7



BS400LED

GARAGE LIGHT | MID BAY | BAA | IP66 | IK09 | DLC PREMIUM

MODEL	ITEM	DESCRIPTION	MAX QTY
BS400LEDHTMOWT50	117102449	AC only, 45W, 5000K	50
BS400LEDHTMOWT40	117102448	AC only, 45W, 4000K	100
BS400LEDHTMOWT30	117102447	AC only, 45W, 3000K	16
BS400LEDHTHOWT40	117500002	AC only, 60W, 4000K	100
BS400LEDHTHOWT30	117500003	AC only, 60W, 3000K	200
BS400LEDPLUSHTMOWT40	117500023	AC only, 100W, 4000K	17
BS400LEDPLUSHTMOWT30	117500054	AC only, 100W, 3000K	11



GUARANTEED TO SHIP
WITHIN 48 HOURS



LUCE SOLARE

SOLAR | IK10 | IP65

MODEL	ITEM	DESCRIPTION	MAX QTY
BLS2A 3500K	117103294	1500 lm @ 100% output, 3500K, 25W	10
BLS2A 5700K	117104108	1500 lm @ 100% output, 5700K, 25W	10
BLS4A 5700K	117104109	3000 lm @ 100% output, 5700K, 37.5W	5
BLS6A 5700K	117104110	4500 lm @ 100% output, 5700K, 60W	10
BLS8A 5700K	117104111	6000 lm @ 100% output, 5700K, 72W	10
BLS8A 6500K	117102625	6000 lm @ 100% output, 6500K, 72W	10
BLS10A 5700K	117104112	8000 lm @ 100% output, 5700K, 72W	10



STAIRWELL (SWL SEL)

STAIRWELL FIXTURE | DAMP | DLC PREMIUM

	ITEM	DESCRIPTION	MAX QTY
SWLSEL 4HT OS	117104668	4 ft, selectable CCT & lumens, 0-10V dimming, dimming occ sensor, white	48



QUICKSHIP

GUARANTEED TO SHIP
WITHIN 48 HOURS



NUVOLA

HGH BAY | IK08 | IP65 | NEMA 4X | DLC PREMIUM

MODEL	ITEM	DESCRIPTION	MAX QTY
NUVHTHOWT30VWD	117102107	AC only, 240W, 3000K	25
NUVHTHOWT40VWD	117102108	AC only, 240W, 4000K	50
NUVHTHOWT40VWDVIOSWGPK	117104007	AC only, 240W, 4000K, int sensor, wire guard, pendant kit	50
NUVHTLOWT40VWD	117102102	AC only, 120W, 4000K	50
NUVHTMOWT30VWD	117102104	AC only, 150W, 3000K	16
NUVHTMOWT30WBD	117103769	AC only, 150W, 3000K	12
NUVHTMOWT40VWD	117102105	AC only, 150W, 4000K	16
NUVHTMOWT40VWDVIOSWGPK	117104004	AC only, 150W, 4000K, int sensor, wire guard, pendant kit	200
NUVHTMOWT50MWD	117102097	AC only, 150W, 5000K	6
NUVHTMOWT50VWD	117102106	AC only, 150W, 5000K	25
NUVHTVHOWT50WBD	117104172	AC only, 240W, 5000K	18
NUVHTVLOWT30VWD	117102098	AC only, 90W, 3000K	50
NUVHTVLOWT40VWD	117102099	AC only, 90W, 4000K	7
NUVHTVLOWT40VWDHK	117102567	AC only, 90W, 4000K, hook mount	25
NUVHTVLOWT50VWD	117102100	AC only, 90W, 5000K, pendant kit	25
NUVSAHOWT40VWDVIOSWGPK	117104008	AC & EM, 240W, 4000K, int sensor, wire guard, pendant kit	100
NUVSAMOWT40VWDVIOSWGPK	117104005	AC & EM, 150W, 4000K, int sensor, wire guard, pendant kit	100
NUVSAMOWT50VWD	117102505	AC & EM, 150W, 5000K	21



ECCO LUNA

Emergency Unit | BAA | IP65 | Sanitation Listed | Vandal Resistant

MODEL	ITEM	DESCRIPTION	MAX QTY
ELSE 205 LED 120/277V	101000037	6V, 10W, 2x5W LED, MR16 lamps	48
ELSE 205 LED 120/277V AT	101000038	6V, 10W, 2x5W LED, MR15 lamps, autotest	48



BBX

Emergency Unit | Title 20 | Damp Location | Indoor | UL

MODEL	ITEM	DESCRIPTION	MAX QTY
BBX SE HO WHT	101101009	High-output, 2x5.4W LED, white, 125' spacing	50
BBX SE WHT AT	101101005	2x2.7W LED, white, autotest, 70' spacing	50
BBX SE HO WHT AT	101101011	High-output, 2x5.4W LED, white, autotest, 125' spacing	50



MURO

Cold Location Emergency Wallpack | IP65 | Title 24 | UL

MODEL	ITEM	DESCRIPTION	MAX QTY
MUR SA WHT CL	101101019	18W LED, 1500 lm, 4000K, Ni-cd, autotest, white	25
MUR SA BLK CL	100101301	18W LED, 1500W, 4000K, Ni-cd, autotest, black	25
MUR SA BLK CL PIR	101101302	18W LED, 1500 lm, 4000K, Ni-cd, autotest, black, motion sensor	25



PACO PEH 1

Emergency Unit | Indoor | Damp Location | Title 20 | UL

MODEL	ITEM	DESCRIPTION	MAX QTY
PEH 1	101100212	2x1.5W LED, Ni-cd, white, 120/277V	48
PEH 1 AT	101100353	2x1.5W LED, Ni-cd, white, 120/277V, autotest	48
PEH 1 UNV	101100382	2x1.5W LED, Ni-cd, white, 120/277V, remote cap	48



TEMPESTA

Emergency Unit | BAA | IP65 | Sanitation | IK07 | 120-347V

MODEL	ITEM	DESCRIPTION	MAX QTY
TA LED SE UNV AT	101000068	LED, 4000K, 1250 lm, Ni-Mh, light gray, autotest	25
TA LED SE UNV	101000107	LED, 4000K, 1250 lm, Ni-Mh, light gray	25



CURVA

Edge-Lit Exit Sign | Indoor | Damp Location | UL

MODEL	DESCRIPTION	MAX QTY
CRV HT single face CRV HT double face	AC only, red or green LED, clear or mirror panel, white or aluminum finish	25
CRV SA single face CRV SA double face	AC & EM, red or green LED, clear or mirror panel, white or aluminum finish	25



PACO PX

Exit Sign | Indoor | Damp Location | UL

MODEL	ITEM	DESCRIPTION	MAX QTY
PX R SA	101100163	Red LED, Ni-cd, universal face, white	48



CURVA COMBO

Edge-Lit Exit Combo | Title 20 | Damp Location | UL

MODEL	ITEM	DESCRIPTION	MAX QTY
CRVC SA LR1 CLR R BA	100101024	Red LED, single face, clear panel, recess mount, brushed aluminum, 2x2.5W lamps	20
CRVC SA LR1 CLR R BA RC	101101025	Red LED, single face, clear panel, recess mount, brushed aluminum, 2x2.5W lamps, autotest, remote capable	20
CRVC SA LR1 CLR R WHT	100101026	Red LED, single face, clear panel, recess mount, white, 2x2.5W lamps, autotest, remote capable	20



PACO PCH

Exit Combo Unit | Indoor | Damp Location | UL

MODEL	ITEM	DESCRIPTION	MAX QTY
PCH R SA	101100214	Ni-cd, red LED, universal face, 2x1.5W, white	25
PCH R SA AT	101100394	Ni-cd, red LED, universal face, 2x1.5W, white finish, autotest	25